



PRECISION[®]

PIPES

**ELECTRICAL
PIPING
SYSTEMS**



PRICE LIST

9th June 2022

Round Conduit uPVC Pipes & Fittings



Precision Round Conduit uPVC Pipes and Fittings

are manufactured from a specially formulated unplasticised polyvinyl chloride (uPVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact materials which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537-Part 3, BS EN 61386-21 for uPVC conduits, IS 3419:1988 and BS 4607 for uPVC fittings.

Our Premium range of **Transparent Round conduit uPVC pipes and fittings** are also available in Red, Green, Blue & Yellow colours on request.

1ST
Time
in
India

Applications

Channelising concealed and surface wiring.
Telecommunication and cable ducting.

DIMENSIONS OF ROUND CONDUIT uPVC PIPES IS 9537-PART 3					
Normal Size (mm)	Outside Diameter (mm)	Tolerance On Outside Diameter (mm)	Inside Diameter (Min) (mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-
#Special Sizes					
19	19	-0.3	16.5	16.0	15.1
38	38	-0.4	33.7	33.4	32.4

Features

- Various diameters and grades.
- Light, medium and heavy mechanical stress, to suit various applications and site conditions.
- Easy and fast installation.
- Wide range of component maximises application.
- Durable and impact resistant.
- Fire retardant • Corrosion free.
- Thermal resistant from -5° C to +60° C.
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at 60° C.



Laser engraved pipes



Fire retardant, corrosion free



Easy and quick installation

Colours



Black, Grey & Ivory



White, Red, Green, Blue & Yellow



SR NO	PRODUCT CODE	SIZE	STANDARD PACK		North India Pkg.	RATE (Mtr)
		OD (mm)	Pc x Mtr	Mtr / Bdl	Mtr / Bdl	
LMS (LIGHT MECHANICAL STRESS)						
# 1	PRCS 19L	19	100 x 3m	300	-	31.50
# 2	PRCS 19LNI	19	40 x 3m	-	120	31.50
3	PRCS 20L	20	100 x 3m	300	-	32.50
4	PRCS 20LNI	20	40 x 3m	-	120	32.50
5	PRCS 25L	25	100 x 3m	300	-	46.00
6	PRCS 25LNI	25	25 x 3m	-	75	46.00
7	PRCS 32L	32	50 x 3m	150	-	61.50
8	PRCS 32LNI	32	10 x 3m	-	30	61.50
# 9	PRCS 38L	38	30 x 3m	90	-	74.50
10	PRCS 40L	40	25 x 3m	75	-	98.50
11	PRCS 40LNI	40	5 x 3m	-	15	98.50
12	PRCS 50L	50	20 x 3m	60	-	141.00
13	PRCS 50LNI	50	5 x 3m	-	15	141.00
14	PRCS 63L	63	18 x 3m	54	-	217.00
MMS (MEDIUM MECHANICAL STRESS)						
# 15	PRCS 19M	19	100 x 3m	300	-	35.50
# 16	PRCS 19MNI	19	40 x 3m	-	120	35.50
17	PRCS 20M	20	100 x 3m	300	-	37.00
18	PRCS 20MNI	20	40 x 3m	-	120	37.00
19	PRCS 25M	25	100 x 3m	300	-	51.00
20	PRCS 25MNI	25	25 x 3m	-	75	51.00
21	PRCS 32M	32	50 x 3m	150	-	76.00
22	PRCS 32MNI	32	10 x 3m	-	30	76.00
# 23	PRCS 38M	38	30 x 3m	90	-	107.00
24	PRCS 40M	40	25 x 3m	75	-	108.00
25	PRCS 40MNI	40	5 x 3m	-	15	108.00
26	PRCS 50M	50	20 x 3m	60	-	165.00
27	PRCS 50MNI	50	5 x 3m	-	15	165.00
HMS (HEAVY MECHANICAL STRESS)						
# 28	PRCS 19H	19	100 x 3m	300	-	45.50
# 29	PRCS 19HNI	19	40 x 3m	-	120	45.50
30	PRCS 20H	20	100 x 3m	300	-	50.00
31	PRCS 20HNI	20	40 x 3m	-	120	50.00
32	PRCS 25H	25	50 x 3m	150	-	63.50
33	PRCS 25HNI	25	25 x 3m	-	75	63.50
34	PRCS 32H	32	50 x 3m	150	-	98.50
35	PRCS 32HNI	32	10 x 3m	-	30	98.50
# 36	PRCS 38H	38	30 x 3m	90	-	120.00
37	PRCS 40H	40	25 x 3m	75	-	130.00
38	PRCS 40HNI	40	5 x 3m	-	15	130.00
39	PRCS 50H	50	20 x 3m	60	-	197.00
40	PRCS 50HNI	50	5 x 3m	-	15	197.00

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		North India Pkg.	RATE (Mtr)
		OD (mm)	Pc x Mtr	Mtr / Bdl	Mtr / Bdl	
LMS (LIGHT MECHANICAL STRESS) ≈ FRLS ☿ UVS CE						
# 41	PFRL 19LS	19	100 x 3m	300	-	33.00
# 42	PFRL 19LSNI	19	40 x 3m	-	120	33.00
43	PFRL 20LS	20	100 x 3m	300	-	34.00
44	PFRL 20LSNI	20	40 x 3m	-	120	34.00
45	PFRL 25LS	25	100 x 3m	300	-	48.00
46	PFRL 25LSNI	25	25 x 3m	-	75	48.00
47	PFRL 32LS	32	50 x 3m	150	-	65.00
48	PFRL 32LSNI	32	10 x 3m	-	30	65.00
# 49	PFRL 38LS	38	30 x 3m	90	-	78.00
50	PFRL 40LS	40	25 x 3m	75	-	103.00
51	PFRL 40LSNI	40	5 x 3m	-	15	103.00
52	PFRL 50LS	50	20 x 3m	60	-	148.00
53	PFRL 50LSNI	50	5 x 3m	-	15	148.00
54	PFRL 63LS	63	18 x 3m	54	-	228.00
MMS (MEDIUM MECHANICAL STRESS) ≈ FRLS ☿ UVS CE						
# 55	PFRL 19MS	19	100 x 3m	300	-	37.00
# 56	PFRL 19MSNI	19	40 x 3m	-	120	37.00
57	PFRL 20MS	20	100 x 3m	300	-	39.00
58	PFRL 20MSNI	20	40 x 3m	-	120	39.00
59	PFRL 25MS	25	100 x 3m	300	-	54.00
60	PFRL 25MSNI	25	25 x 3m	-	75	54.00
61	PFRL 32MS	32	50 x 3m	150	-	80.00
62	PFRL 32MSNI	32	10 x 3m	-	30	80.00
# 63	PFRL 38MS	38	30 x 3m	90	-	112.00
64	PFRL 40MS	40	25 x 3m	75	-	113.00
65	PFRL 40MSNI	40	5 x 3m	-	15	113.00
66	PFRL 50MS	50	20 x 3m	60	-	173.00
67	PFRL 50MSNI	50	5 x 3m	-	15	173.00
HMS (HEAVY MECHANICAL STRESS) ≈ FRLS ☿ UVS CE						
# 68	PFRL 19HS	19	100 x 3m	300	-	48.00
# 69	PFRL 19HSNI	19	40 x 3m	-	120	48.00
70	PFRL 20HS	20	100 x 3m	300	-	53.00
71	PFRL 20HSNI	20	40 x 3m	-	120	53.00
72	PFRL 25HS	25	50 x 3m	150	-	67.00
73	PFRL 25HSNI	25	25 x 3m	-	75	67.00
74	PFRL 32HS	32	50 x 3m	150	-	103.00
75	PFRL 32HSNI	32	10 x 3m	-	30	103.00
# 76	PFRL 38HS	38	30 x 3m	90	-	126.00
77	PFRL 40HS	40	25 x 3m	75	-	137.00
78	PFRL 40HSNI	40	5 x 3m	-	15	137.00
79	PFRL 50HS	50	20 x 3m	60	-	207.00
80	PFRL 50HSNI	50	5 x 3m	-	15	207.00

Special Size

Our Premium range of **Transparent Round Conduit uPVC pipes and fittings** are also available in Red, Green, Blue & Yellow colours on request.

≈ FRLS : Fire Retardant - Low Smoke

☿ UVS : Ultra Violet Stabilised

🌿 Lead Free for Green Environment

ROUND CONDUIT uPVC PIPES (SOCKETED)

HSN : 39172310 | SPECIAL SIZES

GREY **IVORY**

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc x Mtr	Mtr / Bdl	
81	PRCS 19SPL	19 x 1mm	100 x 3m	300	25.00
82	PRCS 25SPL	25 x 1mm	100 x 3m	300	34.50



ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 73201019

BENDING SPRING

BLACK **SILVER** **GOLD**

SR NO	PRODUCT CODE	SIZE	COLOUR	STANDARD PACK		RATE (Pc)
		OD (mm)		Pc/Bag	Pc/Carton	
LIGHT GAUGE						
83	PBS20L	20	Black	10	50	306.00
84	PBS25L	25	Black	5	25	403.00
MEDIUM GAUGE						
85	PBS20M	20	Silver	10	50	306.00
86	PBS25M	25	Silver	5	25	403.00
HEAVY GAUGE						
87	PBS20H	20	Gold	10	50	306.00
88	PBS25H	25	Gold	5	25	403.00



∅ Suitable for 19mm LMS and 19mm MMS conduits also.

ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000

IS:3419





BLACK **GREY** **IVORY** **WHITE**

CIRCULAR BOX WITHOUT LID

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
CIRCULAR BOX - TERMINAL (1WAY)					
89	PRCB 191	19	20	600	24.50
90	PRCB 201	20	20	600	25.00
91	PRCB 251	25	15	450	31.50
92	PRCB 321	32	10	160	58.50
93	PRCB 401	40	10	160	70.00
94	PRCB 501	50	5	80	125.00
CIRCULAR BOX - ANGLE (2WAY)					
95	PRCB 192A	19	20	400	25.00
96	PRCB 202A	20	20	400	25.50
97	PRCB 252A	25	15	300	32.50
98	PRCB 322A	32	10	160	61.50
99	PRCB 402A	40	10	160	76.00
100	PRCB 502A	50	5	80	137.00
CIRCULAR BOX - THROUGH (2 WAY)					
101	PRCB 192S	19	20	400	25.00
102	PRCB 202S	20	20	400	25.50
103	PRCB 252S	25	15	300	32.50
104	PRCB 322S	32	10	160	61.50
105	PRCB 402S	40	10	160	76.00
106	PRCB 502S	50	5	80	137.00
CIRCULAR BOX - TEE (3 WAY)					
107	PRCB 193	19	20	400	28.50
108	PRCB 203	20	20	400	29.50
109	PRCB 253	25	15	300	38.00
110	PRCB 323	32	10	160	63.50
111	PRCB 403	40	10	160	79.50
112	PRCB 503	50	5	80	148.00
CIRCULAR BOX - INTERSECTION (4 WAY)					
113	PRCB 194	19	20	400	30.50
114	PRCB 204	20	20	400	30.50
115	PRCB 254	25	15	240	43.00
116	PRCB 324	32	10	160	66.50
117	PRCB 404	40	10	160	91.00
118	PRCB 504	50	5	80	161.00



SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
DEEP CIRCULAR BOX - TERMINAL (1 WAY)					
119	PRCB 191D	19	10	280	41.50
120	PRCB 201D	20	10	280	42.00
121	PRCB 251D	25	10	280	50.50
122	PRCB 321D	32	10	280	59.00
DEEP CIRCULAR BOX - ANGLE (2 WAY)					
123	PRCB 192AD	19	10	280	43.00
124	PRCB 202AD	20	10	280	43.00
125	PRCB 252AD	25	10	280	52.50
126	PRCB 322AD	32	10	280	63.50
DEEP CIRCULAR BOX - THROUGH (2 WAY)					
127	PRCB 192SD	19	10	200	43.00
128	PRCB 202SD	20	10	200	43.00
129	PRCB 252SD	25	10	200	52.50
130	PRCB 322SD	32	10	200	63.50
DEEP CIRCULAR BOX - TEE (3 WAY)					
131	PRCB 193D	19	10	220	48.50
132	PRCB 203D	20	10	220	48.50
133	PRCB 253D	25	10	220	61.50
134	PRCB 323D	32	10	160	68.50
DEEP CIRCULAR BOX - INTERSECTION (4 WAY)					
135	PRCB 194D	19	10	220	49.50
136	PRCB 204D	20	10	220	50.50
137	PRCB 254D	25	10	220	64.50
138	PRCB 324D	32	10	160	70.00
CIRCULAR BOX BRANCH - 2WAY (U)					
139	PRCB 19U	19	20	400	43.00
140	PRCB 20U	20	20	400	43.00
141	PRCB 25U	25	20	400	58.50
CIRCULAR BOX BRANCH - 3WAY (Y)					
142	PRCB 19Y	19	20	400	46.00
143	PRCB 20Y	20	20	400	48.50
144	PRCB 25Y	25	15	300	63.50



BLACK **GREY** **IVORY** **WHITE**

CIRCULAR BOX WITHOUT LID

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
CIRCULAR BOX BRANCH - 4WAY (H)					
145	PRCB 19H	19	15	300	49.50
146	PRCB 20H	20	15	300	50.50
147	PRCB 25H	25	15	300	68.50
CIRCULAR BOX BACK OUTLET (1 WAY)					
148	PRCB 201 BO	20	20	400	43.00
149	PRCB 251 BO	25	15	300	60.00
CIRCULAR BOX BACK OUTLET THROUGH (2 WAY)					
150	PRCB 202S BO	20	20	400	43.00
151	PRCB 252S BO	25	15	300	63.50
CIRCULAR BOX BACK OUTLET ANGLE (2 WAY)					
152	PRCB 202A BO	20	20	400	43.00
153	PRCB 252A BO	25	15	300	63.50
CIRCULAR BOX BACK OUTLET TEE (3 WAY)					
154	PRCB 203 BO	20	20	400	48.50
155	PRCB 253 BO	25	15	300	68.50
CIRCULAR LID (WITH SCREW)					
156	PRCL65*	65	100	2000	8.50
157	PRCL80#	80	100	2000	17.50
158	PRCL85	85	100	2000	18.00
159	PRCL90	90	100	1800	20.00
160	PRCL93	93	25	750	20.00
161	PRCL110	110	50	900	31.00
CIRCULAR LID (WITHOUT SCREW)					
162	PRCL65WS*	65	100	2000	7.00
163	PRCL80WS#	80	100	2000	17.00
164	PRCL85WS	85	100	2000	17.50
165	PRCL90WS	90	100	1800	19.50
166	PRCL93WS	93	25	750	19.50
167	PRCL110WS	110	50	900	30.50

*65 - For 19/20/25mm JB, DJB & 32 DJB #80 - For 32/40mm JB
 ~93 - For 50 mm JB

CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
CIRCULAR BOX - ANGLE - 2 WAY					
176	PRCB 192AL	19	20	400	33.50
177	PRCB 202AL	20	20	400	34.00
178	PRCB 252AL	25	15	300	41.00
179	PRCB 322AL	32	10	160	79.00
180	PRCB 402AL	40	10	160	93.50
181	PRCB 502AL	50	5	80	157.00
CIRCULAR BOX - ANGLE - 2 WAY (AUTO LID W/O SCREW)					
182	PRCB 202AAL	20	15	270	34.00
183	PRCB 252AAL	25	10	180	40.50
Auto Lid w/o insert & screw					
CIRCULAR BOX - THROUGH - 2 WAY					
184	PRCB 192SL	19	20	400	33.50
185	PRCB 202SL	20	20	400	34.00
186	PRCB 252SL	25	15	300	41.00
187	PRCB 322SL	32	10	160	79.00
188	PRCB 402SL	40	10	160	93.50
189	PRCB 502SL	50	5	80	157.00
CIRCULAR BOX - THROUGH - 2 WAY (AUTO LID W/O SCREW)					
190	PRCB 202SAL	20	15	270	34.00
191	PRCB 252SAL	25	10	180	40.50
Auto Lid w/o insert & screw					
CIRCULAR BOX - TEE - 3 WAY					
192	PRCB 193L	19	20	400	37.00
193	PRCB 203L	20	20	400	38.00
194	PRCB 253L	25	15	300	46.50
195	PRCB 323L	32	5	110	81.00
196	PRCB 403L	40	5	110	97.00
197	PRCB 503L	50	5	80	168.00
CIRCULAR BOX - TEE - 3 WAY (AUTO LID W/O SCREW)					
198	PRCB 203AL	20	15	270	36.50
199	PRCB 253AL	25	10	180	43.50
Auto Lid w/o insert & screw					
CIRCULAR BOX - INTERSECTION (4 WAY)					
200	PRCB 194L	19	20	320	39.00
201	PRCB 204L	20	20	320	39.00
202	PRCB 254L	25	15	240	51.50
203	PRCB 324L	32	5	110	84.00
204	PRCB 404L	40	5	110	108.50
205	PRCB 504L	50	5	80	181.00
CIRCULAR BOX - INTERSECTION - 4 WAY (AUTO LID W/O SCREW)					
206	PRCB 204AL	20	12	216	39.50
207	PRCB 254AL	25	15	150	50.50
Auto Lid w/o insert & screw					

CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
CIRCULAR BOX - TERMINAL - 1WAY					
168	PRCB 191L	19	20	600	33.00
169	PRCB 201L	20	20	600	33.50
170	PRCB 251L	25	15	450	40.00
171	PRCB 321L	32	10	160	76.00
172	PRCB 401L	40	10	160	87.50
173	PRCB 501L	50	5	80	145.00
CIRCULAR BOX - TERMINAL - 1 WAY (AUTO LID W/O SCREW)					
174	PRCB 201AL	20	20	360	30.50
175	PRCB 251AL	25	15	270	40.00
Auto Lid w/o insert & screw					

1ST Time in India

1ST Time in India

1ST Time in India

1ST Time in India

1ST Time in India


ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000

PP CIRCULAR BOX WITH LID AND SCREW

BLACK GREY IVORY

CIRCULAR BOX - INTERSECTION - 4 WAY (POLY PROPYLENE)					
SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Bag	Pc/Carton	
208	PPCB194L	19	15	240	25.50
209	PPCB254L	25	10	250	30.00




CIRCULAR BOX WITH LID AND SCREW

BLACK GREY IVORY WHITE

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
DEEP CIRCULAR BOX - TERMINAL (1 WAY)					
210	PRCB 191DL	19	10	280	50.00
211	PRCB 201DL	20	10	280	50.50
212	PRCB 251DL	25	10	280	59.00
213	PRCB 321DL	32	10	280	80.00
DEEP CIRCULAR BOX - ANGLE (2 WAY)					
214	PRCB 192ADL	19	10	280	51.50
215	PRCB 202ADL	20	10	280	51.50
216	PRCB 252ADL	25	10	280	61.00
217	PRCB 322ADL	32	10	280	83.00
DEEP CIRCULAR BOX - THROUGH (2 WAY)					
218	PRCB 192SDL	19	10	200	51.50
219	PRCB 202SDL	20	10	200	51.50
220	PRCB 252SDL	25	10	200	61.00
221	PRCB 322SDL	32	10	200	83.00
DEEP CIRCULAR BOX - TEE (3 WAY)					
222	PRCB 193DL	19	10	220	57.00
223	PRCB 203DL	20	10	220	57.00
224	PRCB 253DL	25	10	220	70.00
225	PRCB 323DL	32	10	160	85.00
DEEP CIRCULAR BOX - INTERSECTION (4 WAY)					
226	PRCB 194DL	19	10	220	58.00
227	PRCB 204DL	20	10	220	59.00
228	PRCB 254DL	25	10	220	73.00
229	PRCB 324DL	32	10	160	88.00
CIRCULAR BOX BRANCH - 2 WAY (U)					
230	PRCB 19UL	19	20	400	51.50
231	PRCB 20UL	20	20	400	51.50
232	PRCB 25UL	25	20	400	67.00
CIRCULAR BOX BRANCH - 3 WAY (Y)					
233	PRCB 19YL	19	15	300	54.50
234	PRCB 20YL	20	15	300	57.00
235	PRCB 25YL	25	15	300	72.00
CIRCULAR BOX BRANCH - 4 WAY (H)					
236	PRCB 19HL	19	15	300	58.00
237	PRCB 20HL	20	15	300	59.00
238	PRCB 25HL	25	15	300	77.00
CIRCULAR BOX BACK OUTLET (1 WAY)					
239	PRCB 201 BOL	20	20	400	51.50
240	PRCB 251 BOL	25	15	300	68.50



SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
CIRCULAR BOX BACK OUTLET THROUGH (2 WAY)					
241	PRCB 202S BOL	20	15	300	51.50
242	PRCB 252S BOL	25	15	240	72.00
CIRCULAR BOX BACK OUTLET ANGLE (2 WAY)					
243	PRCB 202A BOL	20	15	300	51.50
244	PRCB 252A BOL	25	15	240	72.00
CIRCULAR BOX BACK OUTLET TEE (3 WAY)					
245	PRCB 203 BOL	20	15	300	57.00
246	PRCB 253 BOL	25	15	240	77.00
CIRCULAR EXTENSION RING					
247	PRER 20	20	50	800	17.50
248	PRER 25	25	40	640	23.00
LOOP IN BOX					
249	PRLB 19	19 (4 punch)	20	400	25.00
250	PRLB 20	20 (4 punch)	20	400	25.50
251	PRLB 25	25 (2 punch)	20	400	25.50
LOOP IN BOX EXTENSION					
252	PRLB 20E	20	24	384	38.00
COUPLER					
253	PCR 19	19	100	2000	7.00
254	PCR 20	20	100	2000	8.00
255	PCR 20 L	20 Long	150	2400	8.50
256	PCR 25	25	100	2000	10.50
257	PCR 32	32	60	960	18.50
258	PCR 38	38	30	480	28.00
259	PCR 40	40	30	480	30.50
260	PCR 50	50	20	320	52.00
EXPANSION COUPLER					
261	PCR 20E	20	20	600	10.50
262	PCR 25E	25	12	360	18.00
263	PCR 32E	32	8	240	32.50
264	PCR 38E	38	10	200	42.00
265	PCR 50E	50	10	160	58.50
REDUCER COUPLER (PIPE TO FITTING)					
266	PRR 1	25>20	250	4000	10.50

BLACK **GREY** **IVORY** **WHITE**

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)
		OD (mm)	Pc/Box	Pc/Carton	
REDUCER COUPLER (PIPE TO PIPE)					
267	PRR 2520	25 > 20	75	1500	11.00
268	PRR 3220	32 > 20	60	1200	14.00
269	PRR 3225	32 > 25	40	800	18.50
270	PRR 4020	40 > 20	48	960	23.00
271	PRR 4032	40 > 32	32	640	25.00
272	PRR 5032	50 > 32	30	480	30.50
273	PRR 5040	50 > 40	30	480	31.50
SLIP TYPE BEND					
274	PRBN 19	19	65	1040	11.00
275	PRBN 20	20	65	1040	11.00
276	PRBN 25	25	35	560	19.00
277	PRBN 32	32	20	320	49.00
278	PRBN 38	38	10	160	60.00
279	PRBN 40	40	10	160	98.00
280	PRBN 50	50	5	80	136.00
281	PRBN 63	63	-	50	197.00
SLIP TYPE LONG BEND					
282	PRBL 19	19	45	720	16.50
283	PRBL 20	20	45	720	16.50
284	PRBL 25	25	20	320	28.50
285	PRBL 32	32	10	160	68.00
286	PRBL 38	38	-	100	84.00
287	PRBL 40	40	-	80	134.00
288	PRBL 50	50	-	55	200.00
SPACE BAR SADDLE					
289	PRBS 19	19	100	2000	11.00
290	PRBS 20	20	100	2000	11.50
291	PRBS 25	25	100	2000	13.50
292	PRBS 32	32	100	1600	23.00
293	PRBS 38	38	80	1280	25.00
294	PRBS 40	40	80	1280	25.50
295	PRBS 50	50	60	960	30.50
296	PRBS 63	63	-	50	41.00
SADDLE STRAP					
297	PRSS 19	19	100	2000	6.50
298	PRSS 20	20	100	2000	7.00
299	PRSS 25	25	100	2000	8.50
300	PRSS 32	32	100	1600	11.00
301	PRSS 38	38	80	1280	13.00
302	PRSS 40	40	80	1280	13.50
303	PRSS 50	50	60	960	18.00
ROUND 'U' CLIP					
304	PRUC 20	20	200	4000	10.50
305	PRUC 25	25	100	3000	16.50
END CAP					
306	PREC 20	20	150	3000	5.00
307	PREC 25	25	100	2000	7.00
308	PREC 32	32	70	1400	8.50
309	PREC 40	40	32	640	16.00
310	PREC 50	50	24	480	23.00

SR NO	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Pc)	
		OD (mm)	Pc/Box	Pc/Carton		
MALE BUSH ADAPTOR						
311	PMBA 19	19	100	2000	11.00	
312	PMBA 20	20	100	2000	11.50	
313	PMBA 25	25	100	2000	13.00	
FEMALE BUSH ADAPTOR						
314	PFBA 19	19	100	2000	11.00	
315	PFBA 20	20	100	2000	11.50	
316	PFBA 25	25	100	2000	14.00	
317	PFBA 32	32	75	1200	34.00	
318	PFBA 38	38	50	800	45.00	
319	PFBA 40	40	50	800	45.00	
320	PFBA 50	50	25	400	77.00	
ROUND ELBOW						
321	PRE 20	20	125	2500	11.00	
322	PRE 25	25	75	1200	14.00	
323	PRE 32	32	20	400	20.00	
324	PRE 40	40	15	300	30.50	
325	PRE 50	50	10	200	49.50	
ROUND TEE						
326	PRT 20	20	50	1500	23.50	
327	PRT 25	25	50	800	25.50	
328	PRT 32	32	15	300	29.50	
329	PRT 40	40	10	200	44.00	
330	PRT 50	50	10	160	69.50	
INSPECTION ELBOW						
331	PIE 20	20	20	600	43.00	
332	PIE 25	25	20	400	53.00	
INSPECTION TEE						
333	PIT 20	20	20	600	43.00	
334	PIT 25	25	20	400	63.50	
INSPECTION BEND						
335	PIB 20	20	20	600	43.00	
336	PIB 25	25	20	400	63.50	
ADAPTABLE BOX WITH LID						
Δ	337	PAB 75L	3" x 3" x 2" 75x75x50	10	200	93.50
◇	338	PAB 110L	4" x 4" x 3" 110x110x75	-	100	184.00
	339	PAB 160L	6" x 4" x 3" 160x110x75	-	75	367.00
	340	PAB 160SL	6" x 6" x 3" 160x160x75	-	50	405.00
	341	PAB 225SL	9" x 9" x 3" 225x225x75	-	20	872.00
	342	PAB 300SL	12" x 12" x 4" 300x300x110	-	5	1836.00

Δ 32/38/40mm Knockout Available
◇ 50mm Knockout Available

ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



BLACK	GREY	IVORY	WHITE
--------------	-------------	--------------	--------------

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)	
			Pc/Box	Pc/Carton		
SURFACE SWITCH BOX						
343	PSB1	3" x 3"	10	300	58.50	
344	PSB2	6" x 3"	10	200	100.00	
SWITCH BOX LID (WHITE)						
345	PSBL1 LID	3" x 3"	40	1200	25.50	
346	PSBL2 LID	6" x 3"	25	750	34.00	
FLUSH MOUNTED - SWITCH BOX						
347	PFSB1	3" x 3" x 2"	10	200	66.50	
348	PFSB2	6" x 3" x 2"	10	160	89.00	
FAN BOX (BLACK)						
349	PRFB20	20 Standard	10	220	70.00	
350	PRFB25	25 Standard	10	220	70.00	
351	PRFB20SL	20 Large	10	140	93.50	
352	PRFB25SL	25 Large	10	140	93.50	
353	PRFBRD2025	20/25 With Rod	1	28	280.00	
354	PRFBRD25	25 With Rod	1	28	280.00	
METAL FAN BOX - WITH ROD (BROWN)						
HSN : 73072900						
355	PMFB 2025	20/25	50		227.50	

* 20mm Knockout Available

≠ 20/25mm Knockout Available

SR NO	PRODUCT CODE	SIZE (ml)	STANDARD PACK		RATE (Pc)	
			Pc/Box	Pc/Carton		
uPVC SOLVENT CEMENT						
HSN : 35061000						
356	PSC100 ML	100ml	Transparent	24	144	88.00
357	PSC250 ML	250ml	Transparent	24	96	158.00
358	PSC500 ML	500ml	Transparent	12	48	267.50
359	PSC1L	1L	Transparent	6	24	460.50
360	PSC5L	5L	Transparent	-	6	1853.00
PVC ELECTRICAL INSULATION TAPE						
HSN : 85469090						
SR NO	PRODUCT CODE	SIZE - W (mm)xL(Mtr)		STANDARD PACK Pc/Box	Pc/Carton	RATE (Pc)

BLACK	WHITE	RED	GREEN	BLUE	YELLOW
--------------	--------------	------------	--------------	-------------	---------------

361	PPIT 18	18x6	30	540	15.50
-----	---------	------	----	-----	-------



G.I. & M.S.
Conduit Pipes & Fittings



Precision G.I & M.S. Conduit Pipes are manufactured from a rigorously tested raw material, in accordance to IS 9537 Part – 2.

G.I Conduit Pipes are coated by hot dipped galvanising plant in which iron or steel is coated with layer of zinc. This coating renders a safety finish to the conduit, which is durable in industrial installations, coastal line atmosphere & thermal power stations.

M.S. Conduit Pipes are treated and coated with paint.

Application :

Channelising Electrical surface wiring and cable ducting.

Features :

- Anti – rust coating and good finish
- Easy to cut
- High resistance to corrosion

G. I. - Silver



M. S. - Black



Dimensions of G.I. & M.S. Conduit Pipes

NORMAL SIZE	OUTSIDE DIAMETER	TOLERANCE OD	WALL THICKNESS	WALL THICKNESS TOLERANCE
MM	MM	MM	MM	MM
20	20	0+, -0.3	1.60	±0.2
25	25	0+, -0.4	1.60	±0.2
32	32	0+, -0.4	1.60	±0.2
40	40	0+, -0.4	2.00	+0.2, -0.4
50	50	0+, -0.5	2.00	+0.2, -0.4

G.I. & M.S. CONDUIT PIPES

HSN : 73069090



BLACK SILVER

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Pc x Mtr	Mtr/Bdl	
G.I. CONDUIT PIPES - COLOUR : SILVER					
362	PGIC 20	20	26 x 3m	78	231.00
363	PGIC 25	25	21 x 3m	63	280.00
364	PGIC 32	32	16 x 3m	48	420.00
365	PGIC 40	40	10 x 3m	30	665.00
366	PGIC 50	50	5 x 3m	15	755.00



SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Pc x Mtr	Mtr/Bdl	
M.S. CONDUIT PIPES - COLOUR : BLACK					
367	PMSC 20	20	26 x 3m	78	145.00
368	PMSC 25	25	21 x 3m	63	185.00
369	PMSC 32	32	16 x 3m	48	260.00
370	PMSC 40	40	10 x 3m	30	435.00
371	PMSC 50	50	5 x 3m	15	570.00



G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099

BLACK SILVER

CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
G.I. CIRCULAR BOX - TERMINAL - 1 WAY (SCREW TYPE)					
372	PGIB 251	25	20	200	76.00
M.S. CIRCULAR BOX - TERMINAL - 1 WAY (SCREW TYPE)					
373	PMSB 201	20	20	200	50.50
374	PMSB 251	25	20	200	56.00
G.I. CIRCULAR BOX - THROUGH - 2 WAY (SCREW TYPE)					
375	PGIB 252S	25	20	200	79.00
M.S. CIRCULAR BOX - THROUGH - 2 WAY (SCREW TYPE)					
376	PMSB 202S	20	20	200	54.00
377	PMSB 252S	25	20	200	58.50
G.I. CIRCULAR BOX - TEE - 3 WAY (SCREW TYPE)					
378	PGIB 253	25	20	200	83.50
M.S. CIRCULAR BOX - TEE - 3 WAY (SCREW TYPE)					
379	PMSB 203	20	20	200	56.50
380	PMSB 253	25	20	200	63.00




CIRCULAR BOX WITH LID AND SCREW

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
G.I. CIRCULAR BOX - INTERSECTION - 4 WAY (SCREW TYPE)					
381	PGIB 254	25	20	200	87.00
M.S. CIRCULAR BOX - INTERSECTION - 4 WAY (SCREW TYPE)					
382	PMSB 204	20	20	200	64.50
383	PMSB 254	25	20	200	68.50
G.I. INSPECTION BEND (THREAD TYPE)					
384	PGI 25IBT	25	20	200	79.50
M.S. INSPECTION BEND (THREAD TYPE)					
385	PMS 20IBT	20	20	200	51.50
386	PMS 25IBT	25	20	200	58.00
M.S. NORMAL BEND - INTERNAL THREAD					
387	PMS 25NBIT	25	12	144	88.00



uPVC Mini/Maxi Trunking Profile & Fittings



Precision uPVC Mini/Maxi Trunking Profile and Fittings are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards. The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standards IS 14927-Part 2 and BS EN 50085-2-1. Mini Trunking Profile are also available with self fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance.

Precision uPVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors.

Application


To organize and protect cables on surface.

Features


- Fast installation and easy maintenance.
- Secure and elegant look.
- Wide range of sizes to suit all cabling requirements
- Durable and impact resistant
- Fire retardant
- Corrosion free
- Thermal resistant from -5°C to +60°C

Colours

Ivory, White



Fire retardant,
corrosion free



Wide range

uPVC MINI / MAXI TRUNKING PROFILE

HSN : 39162019



IVORY WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc x Mtr Mtr/Bdl	RATE (Mtr)
uPVC MINI TRUNKING PROFILE (IVORY / WHITE)				
388	PT2012	20 x 12	100 x 2m 200	32.50
389	PT2512	25 x 12	100 x 2m 200	36.50
# 390	PT3015	30 x 15	100 x 2m 200	40.00 NEW
391	PT3212	32 x 12	100 x 2m 200	45.50
# 392	PT1616	16 x 16	100 x 2m 200	30.50
393	PT2516	25 x 16	100 x 2m 200	44.00
# 394	PT3216	32 x 16	100 x 2m 200	42.50 NEW
395	PT3816	38 x 16	50 x 2m 100	71.50
396	PT3825	38 x 25	50 x 2m 100	81.00
397	PT3838	38 x 38	25 x 2m 50	106.00
398	PT5016	50 x 16	50 x 2m 100	122.00

Special Size



SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc x Mtr Mtr/Bdl	RATE (Mtr)
uPVC MAXI TRUNKING PROFILE (WHITE)				
399	PT5050	50 x 50	20 x 2m 40	203.00
400	PT7550	75 x 50	12 x 2m 24	492.00
401	PT7575	75 x 75	9 x 2m 18	638.00
402	PT10050	100 x 50	10 x 2m 20	797.00
403	PT100100	100 x 100	6 x 2m 12	1157.00
404	PT15050	150 x 50	5 x 2m 10	1210.00
MT - MAXI TRUNKING PROFILE (WHITE)				
405	PMT150150	150 x 150	2 x 3m 6	1470.00
uPVC MAXI TRUNKING PROFILE DIVIDER (WHITE)				
∞ 406	PMTD	Standard	50 x 2m 100	110.00

∞ For 100 x 50




uPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN : 39174000

IVORY WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box	RATE (Pc)
COUPLER				
407	PTC 2012	20 x 12	100	4.50
408	PTC 2512	25 x 12	100	3.50
409	PTC 3212	32 x 12	100	4.00
410	PTC 1616	16 x 16	100	4.50
411	PTC 2516	25 x 16	100	4.50
412	PTC 3816	38 x 16	50	7.50
413	PTC 3825	38 x 25	50	8.50
414	PTC 10050	100 x 50(W)	10	20.00
ELBOW				
415	PTB 2012	20 x 12	100	6.50
416	PTB 2512	25 x 12	100	4.50
417	PTB 3212	32 x 12	100	7.50
418	PTB 1616	16 x 16	100	4.50
419	PTB 2516	25 x 16	100	7.00
420	PTB 3816	38 x 16	100	9.00
421	PTB 3825	38 x 25	100	11.00
422	PTB 10050	100 x 50(W)	10	83.50
TEE				
423	PTT 2012	20 x 12	100	7.00
424	PTT 2512	25 x 12	50	6.50
425	PTT 3212	32 x 12	50	8.50
426	PTT 1616	16 x 16	100	7.00
427	PTT 2516	25 x 16	50	7.00
428	PTT 3816	38 x 16	50	11.00
429	PTT 3825	38 x 25	50	12.00
430	PTT 10050	100 x 50(W)	10	78.50



SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Box	RATE (Pc)
INTERNAL BEND				
431	PTI 2512	25 x 12	100	2.50
432	PTI 3212	32 x 12	100	4.50
433	PTI 1616	16 x 16	100	4.50
434	PTI 2516	25 x 16	100	6.00
435	PTI 3816	38 x 16	100	7.00
436	PTI 3825	38 x 25	50	8.50
437	PTI10050	100 x 50(W)	10	32.00
EXTERNAL BEND				
438	PTE 2512	25 x 12	100	2.50
439	PTE 3212	32 x 12	100	6.50
440	PTE 1616	16 x 16	100	7.00
441	PTE 2516	25 x 16	100	7.50
442	PTE 3816	38 x 16	100	8.50
443	PTE 3825	38 x 25	50	12.50
444	PTE 10050	100 x 50(W)	10	57.00
4 WAY				
445	PTW3212	32 x 12	50	14.00
END CAP				
446	PMTC 100	100 x 50(W)	50	17.00



uPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN : 39174000

IVORY WHITE

SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK		RATE (Pc)
			Pc/Bag	Pc/Carton	
JUNCTION LINKER (POLY PROPYLENE)					
447	PTJL7575	Standard	20	300	8.50



SR NO	PRODUCT CODE	SIZE W x H (inch)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
SURFACE SWITCH BOX - TRUNKING KNOCKOUT (WHITE)					
448	PTSB1	3" x 3"	10	300	57.50
449	PTSB2	6" x 3"	10	200	95.50



\$ 16x16,25x16 Knockout Available

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN : 39174000

WHITE


SR NO	PRODUCT CODE	SIZE W x H (mm)	STANDARD PACK Pc/Bag	RATE (Pc)
ELBOW				
450	PMTL50	50 x 50	5	109.00
451	PMTL751	75 x 50	5	263.00
452	PMTL752	75 x 75	5	313.00
453	PMTL1002	100 x 100	5	446.00
454	PMTL1501	150 x 50	5	425.00
455	PMTL1502	150 x 150	5	486.00
TEE				
456	PMTT50	50 x 50	5	154.00
457	PMTT751	75 x 50	5	263.00
458	PMTT752	75 x 75	5	313.00
459	PMTT1002	100 x 100	5	446.00
460	PMTT1501	150 x 50	5	425.00
461	PMTT1502	150 x 150	5	486.00
INTERNAL ANGLE				
462	PMTI50	50 x 50	5	109.00
463	PMTI751	75 x 50	5	263.00
464	PMTI752	75 x 75	5	313.00
465	PMTI1002	100 x 100	5	446.00
466	PMTI1501	150 x 50	5	425.00
467	PMTI1502	150 x 150	5	486.00



SR NO	PRODUCT CODE	SIZE W x H (mm)	STD.PACK Pc/Bag	RATE (Pc)
EXTERNAL ANGLE				
468	PMTE50	50 x 50	5	109.00
469	PMTE751	75 x 50	5	263.00
470	PMTE752	75 x 75	5	313.00
471	PMTE1002	100 x 100	5	446.00
472	PMTE1501	150 x 50	5	425.00
473	PMTE1502	150 x 150	5	486.00
END CAP				
474	PFTC50	50 x 50	5	30.50
475	PFTC751	75 x 50	5	42.50
476	PFTC752	75 x 75	5	49.00
477	PFTC1002	100 x 100	5	102.00
478	PFTC1501	150 x 50	5	113.00
479	PFTC1502	150 x 150	5	129.00



uPVC Panel Trunking



Precision uPVC Panel Trunking are manufactured from high impact unplasticised polyvinyl chloride (uPVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium and big size panels & various applications where economy, space saving, safety and durability are paramount.

Applications

To conduct, organize, and protect cables inside electrical and telecommunication panels, industrial machinery wiring, Computer LAN wiring and data centers.

Features

- Non – brittle, flame retardant, wrap proof
- Vertical slids and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires
- Avoids bunching, taping and provides complete electrical insulation
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting
- High tensile strength 390 kg/cm²
- Thermal resistant from -5°C to +60°C

Colour
Grey



Thermal resistant

uPVC PANEL TRUNKING

FRLS CE

PIPES

HSN : 85381010

GREY

SR NO	PRODUCT CODE	SIZE H x W (mm)	STANDARD PACK Pc x Mtr	Mtr/Carton	RATE (Mtr)
uPVC PANEL TRUNKING - STANDARD SLOT					
480	PPT1515	15 x 15	200 x 1m	200	57.50
481	PPT2525	25 x 25	130 x 1m	130	86.50
482	PPT3025	30 x 25	125 x 1m	125	92.50
483	PPT4525	45 x 25	90 x 1m	90	113.00
484	PPT4545	45 x 45	50 x 1m	50	158.00
485	PPT4560	45 x 60	50 x 1m	50	203.00
486	PPT6025	60 x 25	70 x 1m	70	146.00
487	PPT6040	60 x 40	60 x 1m	60	182.00
488	PPT6045	60 x 45	50 x 1m	50	182.00
489	PPT6060	60 x 60	40 x 1m	40	230.00
490	PPT7525	75 x 25	60 x 1m	60	185.00
491	PPT7575	75 x 75	30 x 1m	30	338.00
492	PPT10075	100 x 75	24 x 1m	24	554.00
493	PPT100100	100 x 100	16 x 1m	16	655.00



SR NO	PRODUCT CODE	SIZE H x W (mm)	STANDARD PACK Pc x Mtr	Mtr/Carton	RATE (Mtr)
uPVC PANEL TRUNKING - THIN SLOT					
494	PPT3025TS	30 x 25	125 x 1m	125	96.50
495	PPT4525TS	45 x 25	90 x 1m	90	119.00
496	PPT4545TS	45 x 45	50 x 1m	50	166.00
497	PPT4560TS	45 x 60	50 x 1m	50	204.00
498	PPT6025TS	60 x 25	70 x 1m	70	156.00
499	PPT6040TS	60 x 40	60 x 1m	60	192.00
500	PPT6045TS	60 x 45	50 x 1m	50	193.00
501	PPT6060TS	60 x 60	40 x 1m	40	243.00



SR NO	PRODUCT CODE	SIZE (mm)	STANDARD PACK Pc x Mtr	Mtr/Carton	RATE (Mtr)
uPVC PANEL TRUNKING - TOP COVER					
502	PPT25T	25	100 x 1m	100	35.50
503	PPT40T	40	50 x 1m	50	58.50
504	PPT45T	45	50 x 1m	50	62.00
505	PPT60T	60	50 x 1m	50	96.50
506	PPT75T	75	25 x 1m	25	96.50
507	PPT100T	100	25 x 1m	25	154.00



≈ FRLS : Fire Retardant - Low Smoke


OPTIMAL GRIP LID

- Precision's Panel Trunking lid design provides high capacity to sustain leads of wire in the case of a cable positioned in the centre of the duct and avoids them from riding up.
- Quick snap on/off and non-slip assembly forms a firm rigid channel.

- Interlocking lid and channel is optimised to make the system easier to install and to provide discrete routing of cables.
- Uniform grip and thickness throughout the length system with independent non-slip lid, keeps cover in place during high vibration applications.



STANDARD SLOT




THIN SLOT




WALL PERFORATION RIB DESIGN

- All wall perforation ribs of Precision Panel Trunking have larger rounded slots for easy insertion of wires and cables.
- Rounded design with burr-free edges to prevent any injury to the hand of the user or to the cable insulation.




ELONGATED MOUNTING SLOTS

- Perforated base with elongated slot allows flexible mounting and better fastening of the cables.
- Robust sections.



For Panel Trunking
75 x 75, 100 x 75 & 100 x 100



For Panel Trunking
15 x 15, 25 x 25, 30 x 25, 45 x 25, 45 x 45,
45 x 60, 60 x 25, 60 x 45, 60 x 60

• All dimensions in (mm)

Corrugated Flexible Conduit Pipes & Fittings

Precision Corrugated Flexible Conduit Pipes come in a wide and comprehensive range of material variants to suit variety of applications. These conduits are manufactured in slit and non-slit variants based on the final application for wiring purposes.

Polypropylene Flexible Conduits are the best solution for applications where resistance to constant flexing and vibration is essential. These conduits display excellent flexibility, moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to +90°C.

Steel Wire Reinforced Flexible uPVC Conduits are manufactured with soft polyvinyl chloride (uPVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali, saline water. Most suitable for electrical wiring in building, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to +60°C.

Precision Galvanised Steel Flexible Conduit

Precision Steel Flexible Conduit Pipes are made from Galvanized steel, helical wound strips having a Square Lock type Construction and are manufactured in accordance to Indian/British Standards in Galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air Conditioning, Ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions.


Colours



Black, Grey & Ivory



White, Red, Green, Blue & Yellow



Precision Galvanised Steel Flexible Conduit with PVC Coating

Precision PVC Coated Steel Flexible Conduit Pipes are made from Galvanized steel, helical wound strips having a Square Lock type Construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating Black/Grey colour with spiral corrugated pattern finished surface.

Most suitable for Mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.



Fire retardant,
corrosion free

DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS			
Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance On Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	-0.1	7.0
16	16	-0.3	10.7
20	20	-0.3	14.1
25	25	-0.4	18.3
32	32	-0.4	24.3
40	40	-0.4	31.2
50	50	-0.5	39.6
63	63	-0.6	52.6

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES				
Normal Size (mm)	Normal Size (inch)	OD (mm)	ID (mm)	Bending radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1¼"	35.0	32.0	70
40	1½"	42.0	38.0	80
50	2"	54.0	50.0	90

*Tolerance : Size below 50mm, +/- 1mm & above 50mm +/- 3mm

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING				
Normal Size (mm)	Normal Size (inch)	OD (mm)	ID (mm)	Bending radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1¼"	36.5	32.0	70
40	1½"	44.0	38.0	80
50	2"	57.0	51.0	90

*Tolerance : Size below 50mm, +/- 1mm & above 50mm +/- 3mm

CORRUGATED FLEXIBLE CONDUIT PIPES

HSN : 39173100

(PP) POLY PROPYLENE

BLACK	GREY	IVORY
-------	------	-------

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Mtr/Coil	Mtr/Bag	
508	PCFC 10	10	100	1000	8.00
509	PCFC 16	16	50	500	8.00
510	PCFC 20	20	50	500	11.00
511	PCFC 25	25	25	250	16.00
512	PCFC 32	32	25	250	27.00
513	PCFC 40	40	20	100	37.50
514	PCFC 50	50	15	75	56.00
515	PCFC 63	63	10	50	87.00

WHITE	RED	GREEN	BLUE	YELLOW
-------	-----	-------	------	--------

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Mtr)
			Mtr/Coil	Mtr/Bag	
516	PCCL 10	10	100	1000	12.00
517	PCCL 16	16	50	500	13.00
518	PCCL 20	20	50	500	18.00
519	PCCL 25	25	25	250	24.50
520	PCCL 32	32	25	250	40.00
521	PCCL 40	40	20	100	47.50
522	PCCL 50	50	15	75	65.50
523	PCCL 63	63	10	50	102.00



CORRUGATED FLEXIBLE CONDUIT PIPE FITTINGS

HSN : 39174000

BLACK **GREY**

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
CORRUGATED FLEXIBLE CONDUIT GLAND					
524	P FAG 16	16	125	2250	5.50
525	P FAG 20	20	75	1350	7.50
526	P FAG 25	25	50	900	9.50
527	P FAG 32	32	30	540	11.50
528	P FAG 40	40	20	360	17.00
529	P FAG 50	50	5	150	22.00



STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE

HSN : 39172190

GREY

SR NO	PRODUCT CODE	SIZE ID (mm)	STANDARD PACK		RATE (Mtr)
			Mtr/Coil	Mtr/Bag	
STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPES					
530	PCWR 10	10	30	300	52.00
531	PCWR 16	16	30	300	63.50
532	PCWR 20	20	30	240	87.50
533	PCWR 25	25	30	210	100.50
534	PCWR 30	30	30	150	128.50
535	PCWR 40	40	30	120	156.50
536	PCWR 50	50	30	90	177.00
537	PCWR 60	60	15	75	256.00



STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE FITTINGS

HSN : 39174000

GREY

SR NO	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE (Pc)
			Pc/Box	Pc/Carton	
STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT GLAND					
538	PFRG 10	10	75	1350	9.50
539	PFRG 16	16	60	1080	11.00
540	PFRG 20	20	45	810	14.00
541	PFRG 25	25	30	540	18.00
542	PFRG 30	30	20	360	23.00
543	PFRG 40	40	15	270	30.00
544	PFRG 50	50	5	150	42.50



GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

HSN : 83071000

SILVER

SR NO	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (inch)	STANDARD PACK		RATE (Mtr)
				Mtr/Coil	Mtr/Bag	
GALVANIZED STEEL FLEXIBLE CONDUIT PIPES						
545	PGIFC16	16	1/2"	15	210	41.00
546	PGIFC20	20	3/4"	15	150	54.50
547	PGIFC25	25	1"	15	105	84.00
548	PGIFC32	32	1 1/4"	15	75	100.00
549	PGIFC40	40	1 1/2"	15	75	115.00
550	PGIFC50	50	2"	10	50	166.50



GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING

HSN : 83071000

BLACK **GREY**

SR NO	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (inch)	STANDARD PACK		RATE (Mtr)
				Mtr/Coil	Mtr/Bag	
GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING						
551	PGIFCP16	16	1/2"	50	250	60.50
552	PGIFCP20	20	3/4"	25	150	81.00
553	PGIFCP25	25	1"	25	125	123.50
554	PGIFCP32	32	1 1/4"	15	75	147.00
555	PGIFCP40	40	1 1/2"	15	75	173.00
556	PGIFCP50	50	2"	15	60	245.50



Plumbing

PIPING SYSTEMS

CPVC Pipes & Fittings
ASTM (uPVC) Pipes & Fittings
Sewerage Waste and Rainwater (SWR) Pipes & Fittings
Agriculture uPVC Pipes & Fittings



TERMS & CONDITIONS

- All mentioned prices are exclusive of GST and other government taxes (if any).
- The above prices are ex-factory.
- Any revision in existing taxation or any new government taxes will be to buyers' account only.
- Prices are subjected to change without prior notice.
- Subject to Mumbai Jurisdiction.

ISO 9001:2015



Har Building ki Lifeline
PRECISION PIPELINE

Precision Plastic Industries Pvt. Ltd.

19/D, Nand Jyot Industrial Estate,
Safed Pool, Andheri-Kurla Road,
Andheri (East), Mumbai 400072, India

Customer Care : +91 77150 00015 | electrical@precisionpipes.com | www.precisionpipes.com